

**Anlage 128** is for use in public restrooms, institutions, veterinary clinics, animal life science laboratories, food processing plants and food storage areas.

**Anlage 128** is a no-rinse disinfectant cleaner that disinfects, cleans and deodorizes in one labor-saving step.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply use solution of **Anlage 128** with a cloth, mop or coarse mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Wipe or allow to air dry. Prepare fresh solution daily or more often if the use solution becomes visibly dirty.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware, dishes or appliance interior surfaces as a disinfectant.

**DISINFECTION IN HOSPITALS, NURSING HOMES AND OTHER HEALTH CARE INSTITUTIONS, AND INDUSTRY:** For disinfecting floors, walls, countertops, bathing areas, lavatories, tables, chairs, garbage pails, bathroom fixtures, and other hard nonporous surfaces. Add 1 oz. **Anlage 128** per gallon of water.

At this level, **Anlage 128** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella enterica*, *Staphylococcus aureus* – Methicillin Resistant (MRSA), *Enterococcus faecalis* – Vancomycin Resistant (VRE), Hepatitis B Virus (HBV) and Human Immunodeficiency Virus Type 1 (HIV -1).

*This product is not for use on medical device surfaces.*

This product, when used on hard, nonporous surfaces at 1 oz. per gallon of water for a 10 minute contact, (5% organic soil), is effective against Hepatitis B Virus (HBV). This product also kills Human Immunodeficiency Virus Type 1 (HIV -1) after a 30 second contact time.

**KILLS HIV-1 AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is a likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV or HBV.

**SPECIAL INSTRUCTIONS FOR CLEANING OR DECONTAMINATION AGAINST HIV-1 AND HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**  
**PERSONAL PROTECTION:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

**CONTACT TIME:** Leave surfaces wet for 30 seconds for HIV-1 and 10 minutes for HBV. Use a 10 minute contact time for all other bacteria listed.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious medical waste disposal.

# ANLAGE 128

## ONE-STEP DISINFECTANT VIRUCIDE\* - DEODORIZER FOR HOSPITALS, INSTITUTIONAL, INDUSTRIAL, DAIRY AND OTHER FARM USE

### ACTIVE INGREDIENTS:

Alkyl (C<sub>14</sub>, 60%; C<sub>16</sub>, 30%; C<sub>12</sub>, 5%; C<sub>18</sub>, 5%) Dimethyl Benzyl Ammonium Chloride ..... 5.0%  
Alkyl (C<sub>12</sub>, 68%; C<sub>14</sub>, 32%) Dimethyl Ethylbenzyl Ammonium Chloride ..... 5.0%

**OTHER INGREDIENTS:** ..... 90.0%  
**TOTAL** ..... 100.0%

## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LEFT SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

EPA REG. NO. 6836-57-46269      EPA EST. NO. 46269-DE-01

**NET CONTENTS: 5 - 55 GALLONS**

**EXP. DATE:** \_\_\_\_\_



**Quip Laboratories, Inc.**  
1500 EASTLAWN AVENUE • WILMINGTON, DE 19802  
TEL: 302-761-2600 • FAX 302-761-2611  
SALES OFFICE: 1 800 424 2436

**DISINFECTION OF POULTRY EQUIPMENT, ANIMAL QUARTERS AND KENNELS:** Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 1 oz. **Anlage 128** per gallon of water with a mop, cloth or brush. Immerse small utensils this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises, vehicles and enclosures such as coops and crates. Remove all litter, droppings and manure from floors, walls and other surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with the disinfecting solution for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

After disinfection, ventilate building, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried.

Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles or face shield) and protective gloves (rubber or chemical resistant) when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.